

Prepared For

Customer **Brami**
 Email **ap@enjoybrami.com**
 Phone **3142768277**
 Address

Lab Contact

Name **Light Labs Support**
 Email **support@lightlabs.com**
 Address **600 South Wagner Road, #400
 Ann Arbor, MI 48103**

General Information

Name **Finished Pasta, Fusilli**
 Lot **07/06/2029**
 Notes

Date Received **2026-09-03**
 Date Tested **2026-09-09**
 Test **150319**
 Order **17133**

Assay **Heavy Metals**
 Method **LLMTDA1 (ICPMS)**
 Location **In-house**
 Serving Size
 Lab Reported Serving Size **56 g**

Analyte	LOQ	Specification	Result	Status
Arsenic	0.66 ppb (0.04 mcg/serving)	≤ 10 mcg/serving	29.45 ppb (1.65 mcg/serving)	In-Spec
Cadmium	0.12 ppb (0.007 mcg/serving)	≤ 4.1 mcg/serving	24.66 ppb (1.38 mcg/serving)	In-Spec
Lead	1.86 ppb (0.1 mcg/serving)	≤ 0.5 mcg/serving	ND	In-Spec
Mercury	0.71 ppb (0.04 mcg/serving)	≤ 0.3 mcg/serving	ND	In-Spec

LLMTDA is a method developed at Light Labs, Ann Arbor MI to test heavy metals in food and dietary supplement products. The method is modified from FDA EAM 4.7 and uses similar sample preparation and analytical techniques to those described in EAM. Microwave assisted digestion in mineral acids is used to prepare samples for heavy metal analysis by triple quadrupole inductively coupled plasma mass spectrometry (ICP-MS/MS). LLMTDA is part of Light Labs' scope of ISO 17025 accredited methods.

Results Approved By


Lev Spivak-Birndorf
 Lab Director, Ann Arbor
 Date Generated: 2026-09-09



Prepared For

Customer **Brami**
 Email **ap@enjoybrami.com**
 Phone **3142768277**
 Address

Lab Contact

Name **Light Labs Support**
 Email **support@lightlabs.com**
 Address **600 South Wagner Road, #400
 Ann Arbor, MI 48103**

General Information

Name **Finished Pasta, Fusilli**
 Lot **07/06/2029**
 Notes

Date Received **2026-09-03**
 Date Tested **2026-09-15**
 Test **150320**
 Order **17133**

Assay **Pesticides - FDA Import / Export**
 Method **LCMSMS + GCMSMS**
 Location **Outsourced**
 Serving Size

Analyte	LOQ	Specification	Result	Status
3-Hydroxycarbofuran	-	-	ND	-
Acephate	-	-	ND	-
Acetamiprid	-	-	ND	-
Acetochlor	-	-	ND	-
Acibenzolar-S-methyl	-	-	ND	-
Acrinathrin	-	-	ND	-
Alachlor	-	-	ND	-
Alanycarb	-	-	ND	-
Aldicarb	-	-	ND	-
Aldrin	-	-	ND	-
Allethrin	-	-	ND	-
Allidochlor	-	-	ND	-
Ametryn	-	-	ND	-
Amicarbazone	-	-	ND	-
Aminocarb	-	-	ND	-
Amitraz	-	-	ND	-
Anilazine	-	-	ND	-
Anthraquinone	-	-	ND	-
Aspon	-	-	ND	-
Aspon (Tetrapropyl Thiodiphosphate)	-	-	ND	-
Atrazine	-	-	ND	-

Results Approved By


Lev Spivak-Birndorf
 Lab Director

Date Generated: 2026-09-15

Analyte	LOQ	Specification	Result	Status
Azinphos - Ethyl	-	-	ND	-
Azoxystrobin	-	-	ND	-
BAP(6-benzylaminopurine)	-	-	ND	-
BHC - Gamma (Lindane, gamma HCH)	-	-	ND	-
BHC - alpha (Benzene Hexachloride)	-	-	ND	-
BHC - beta	-	-	ND	-
BHC - delta	-	-	ND	-
Benalaxyl	-	-	ND	-
Bendiocarb	-	-	ND	-
Benfluralin	-	-	ND	-
Benfuracarb	-	-	ND	-
Benoxacor	-	-	ND	-
Bensulide	-	-	ND	-
Benzoximate	-	-	ND	-
Bifenazate	-	-	ND	-
Bifenox	-	-	ND	-
Bifenthrin	-	-	ND	-
Bioresmethrin (Resmethrin - trans)	-	-	ND	-
Biphenyl	-	-	ND	-
Bitertanol	-	-	ND	-
Bitertanol Total	-	-	ND	-
Boscalid	-	-	ND	-
Bromacil	-	-	ND	-
Bromfenvinphos	-	-	ND	-
Bromfenvinphos - Methyl	-	-	ND	-
Bromophos	-	-	ND	-
Bromophos - Ethyl	-	-	ND	-
Bromopropylate	-	-	ND	-
Bromuconazole	-	-	ND	-
Bupirimate	-	-	ND	-
Buprofezin	-	-	ND	-
Butachlor	-	-	ND	-

Results Approved By



Lev Spivak-Birndorf

Lab Director

Date Generated: 2026-09-15

This product has been tested by an external ISO/IEC 17025-accredited laboratory using valid testing methodologies. Values reported relate only to the product tested. The laboratory makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of Light Labs. All COA data is calculated using the listed lab measured serving size if listed.

Analyte	LOQ	Specification	Result	Status
Butafenacil	-	-	ND	-
Butocarboxim	-	-	ND	-
Butoxycarboxim (Butocarboxim Sulfone)	-	-	ND	-
Butralin	-	-	ND	-
Butylate	-	-	ND	-
Cadusafos	-	-	ND	-
Captafol	-	-	ND	-
Captan	-	-	ND	-
Carbaryl	-	-	ND	-
Carbendazim	-	-	ND	-
Carbetamide	-	-	ND	-
Carbofuran	-	-	ND	-
Carbophenothion	-	-	ND	-
Carbophenothion - Methyl (Miethyl Trithion)	-	-	ND	-
Carbosulfan	-	-	ND	-
Carboxin	-	-	ND	-
Carboxine	-	-	ND	-
Carfentrazone - Ethyl	-	-	ND	-
Carfentrazone-ethyl	-	-	ND	-
Chlorantraniliprole	-	-	ND	-
Chlorbenside	-	-	ND	-
Chlordane - cis (alpha)	-	-	ND	-
Chlordane - oxy	-	-	ND	-
Chlordane - trans (gamma)	-	-	ND	-
Chlordimeform	-	-	ND	-
Chlorfenapyr	-	-	ND	-
Chlorfenson	-	-	ND	-
Chlorfenvinphos	-	-	ND	-
Chlorfluazuron	-	-	ND	-
Chlorimuron-ethyl	-	-	ND	-
Chlornitrofen	-	-	ND	-
Chlorobenzilate	-	-	ND	-

Results Approved By



Lev Spivak-Birndorf

Lab Director

Date Generated: 2026-09-15

This product has been tested by an external ISO/IEC 17025-accredited laboratory using valid testing methodologies. Values reported relate only to the product tested. The laboratory makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of Light Labs. All COA data is calculated using the listed lab measured serving size if listed.

Analyte	LOQ	Specification	Result	Status
Chloroneb	-	-	ND	-
Chlorothalonil	-	-	ND	-
Chloroxuron	-	-	ND	-
Chlorpropham	-	-	ND	-
Chlorpyrifos	-	-	ND	-
Chlorthal - Dimethyl (Dacthal, DCPA)	-	-	ND	-
Chlorthion	-	-	ND	-
Chlorthiophos	-	-	ND	-
Chlortoluron	-	-	ND	-
Chlozolinat	-	-	ND	-
Clethodim	-	-	ND	-
Clofentezine	-	-	ND	-
Clomazone	-	-	ND	-
Clothianidin	-	-	ND	-
Coumaphos	-	-	ND	-
Crotoxyphos	-	-	ND	-
Cumyluron	-	-	ND	-
Cyanazine	-	-	ND	-
Cyanofenphos	-	-	ND	-
Cyanophos	-	-	ND	-
Cyantraniliprole	-	-	ND	-
Cyazofamid	-	-	ND	-
Cycloate	-	-	ND	-
Cycloxydim	-	-	ND	-
Cycluron	-	-	ND	-
Cyflufenamid	-	-	ND	-
Cyfluthrin Total	-	-	ND	-
Cyhexatin	-	-	ND	-
Cymiazole	-	-	ND	-
Cymoxanil	-	-	ND	-
Cypermethrin Total	-	-	ND	-
Cyproconazole	-	-	ND	-

Results Approved By



Lev Spivak-Birndorf

Lab Director

Date Generated: 2026-09-15

This product has been tested by an external ISO/IEC 17025-accredited laboratory using valid testing methodologies. Values reported relate only to the product tested. The laboratory makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of Light Labs. All COA data is calculated using the listed lab measured serving size if listed.

Analyte	LOQ	Specification	Result	Status
Cyprodinil	-	-	ND	-
Cyromazine	-	-	ND	-
DEF (Tribufos)	-	-	ND	-
DIPN, 2,6-	-	-	ND	-
DMST	-	-	ND	-
Daimuron	-	-	ND	-
Deltamethrin	-	-	ND	-
Demeton-S-Methyl	-	-	ND	-
Desmedipham	-	-	ND	-
Desmetryn	-	-	ND	-
Diafenthiuron	-	-	ND	-
Diallate Total	-	-	ND	-
Diazinon	-	-	ND	-
Diazinon-oxon (Diazoxon)	-	-	ND	-
Dichlofenthion	-	-	ND	-
Dichlofluanid	-	-	ND	-
Dichloroaniline, 3,4-	-	-	ND	-
Dichlorobenzonitrile, 2,6- (Dichlobenil)	-	-	ND	-
Dichlorobenzophenone, 4,4-	-	-	ND	-
Dichlorvos	-	-	ND	-
Diclobutrazol	-	-	ND	-
Diclofop - Methyl	-	-	ND	-
Dicloran (Dichloran)	-	-	ND	-
Dicofol	-	-	ND	-
Dicrotofos (Dicrotophos)	-	-	ND	-
Dicrotophos	-	-	ND	-
Dieldrin	-	-	ND	-
Diethofencarb	-	-	ND	-
Difenoconazole	-	-	ND	-
Difenoconazole Total	-	-	ND	-
Diiflubenzuron	-	-	ND	-
Dimethachlor	-	-	ND	-

Results Approved By



Lev Spivak-Birndorf

Lab Director

Date Generated: 2026-09-15

This product has been tested by an external ISO/IEC 17025-accredited laboratory using valid testing methodologies. Values reported relate only to the product tested. The laboratory makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of Light Labs. All COA data is calculated using the listed lab measured serving size if listed.

Analyte	LOQ	Specification	Result	Status
Dimethenamide	-	-	ND	-
Dimethoate	-	-	ND	-
Dimethomorph	-	-	ND	-
Dimethomorph Total	-	-	ND	-
Dimoxystrobin	-	-	ND	-
Diniconazole	-	-	ND	-
Dinitramine	-	-	ND	-
Dinotefuran	-	-	ND	-
Dioxacarb	-	-	ND	-
Dioxathion	-	-	ND	-
Diphenamid	-	-	ND	-
Diphenylamine	-	-	ND	-
Disulfoton	-	-	ND	-
Disulfoton Sulfone	-	-	ND	-
Diuron	-	-	ND	-
Dodine	-	-	ND	-
Doramectin	-	-	ND	-
EPN	-	-	ND	-
EPTC	-	-	ND	-
Edifenphos	-	-	ND	-
Enamectin	-	-	ND	-
Endosulfan Ether	-	-	ND	-
Endosulfan I (alpha Isomer)	-	-	ND	-
Endosulfan II (beta Isomer)	-	-	ND	-
Endosulfan Sulfate	-	-	ND	-
Endrin	-	-	ND	-
Endrin Aldehyde	-	-	ND	-
Endrin Ketone	-	-	ND	-
Epoxiconazole	-	-	ND	-
Eprinomectin	-	-	ND	-
Esprocarb	-	-	ND	-
Etaconazole	-	-	ND	-

Results Approved By



Lev Spivak-Birndorf

Lab Director

Date Generated: 2026-09-15

This product has been tested by an external ISO/IEC 17025-accredited laboratory using valid testing methodologies. Values reported relate only to the product tested. The laboratory makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of Light Labs. All COA data is calculated using the listed lab measured serving size if listed.

Analyte	LOQ	Specification	Result	Status
Etaconazole I	-	-	ND	-
Ethalfuralin	-	-	ND	-
Ethidimuron	-	-	ND	-
Ethiofencarb	-	-	ND	-
Ethiofencarb-sulfoxide	-	-	ND	-
Ethiolate	-	-	ND	-
Ethion	-	-	ND	-
Ethiprole	-	-	ND	-
Ethirimol	-	-	ND	-
Ethofumesate	-	-	ND	-
Ethoprop	-	-	ND	-
Ethoprophos (Ethoprop)	-	-	ND	-
Ethoxyquin	-	-	ND	-
Ethylan (Perthane)	-	-	ND	-
Etobenzanid	-	-	ND	-
Etofenprox (Ethofenprox)	-	-	ND	-
Etoxazole	-	-	ND	-
Etridiazole (Terrazole, Echlomezol)	-	-	ND	-
Etrimfos	-	-	ND	-
Famoxadone	-	-	ND	-
Famphur	-	-	ND	-
Fenamidone	-	-	ND	-
Fenamiphos (Phenamiphos)	-	-	ND	-
Fenamiphos Sulfone	-	-	ND	-
Fenarimol	-	-	ND	-
Fenazaquin	-	-	ND	-
Fenbuconazole	-	-	ND	-
Fenbutatin Oxide	-	-	ND	-
Fenfuram	-	-	ND	-
Fenhexamid	-	-	ND	-
Fenitrothion	-	-	ND	-
Fenobucarb	-	-	ND	-

Results Approved By



Lev Spivak-Birndorf

Lab Director

Date Generated: 2026-09-15

This product has been tested by an external ISO/IEC 17025-accredited laboratory using valid testing methodologies. Values reported relate only to the product tested. The laboratory makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of Light Labs. All COA data is calculated using the listed lab measured serving size if listed.

Analyte	LOQ	Specification	Result	Status
Fenoxycarb	-	-	ND	-
Fenpropathrin	-	-	ND	-
Fenpropimorph	-	-	ND	-
Fenpyroximate	-	-	ND	-
Fenson	-	-	ND	-
Fensulfothion	-	-	ND	-
Fenthion	-	-	ND	-
Fenuron	-	-	ND	-
Fenvalerate Total	-	-	ND	-
Fipronil	-	-	ND	-
Flonicamid	-	-	ND	-
Fluazifop-butyl	-	-	ND	-
Flubendiamide	-	-	ND	-
Fluchloralin	-	-	ND	-
Flucythrinate Total	-	-	ND	-
Fludioxonil	-	-	ND	-
Flufenacet	-	-	ND	-
Flufenoxuron	-	-	ND	-
Fluometuron	-	-	ND	-
Flupicolide	-	-	ND	-
Fluopyram	-	-	ND	-
Fluoxastrobin	-	-	ND	-
Flupyradifurone	-	-	ND	-
Fluquinconazole	-	-	ND	-
Flurenol - Butyl	-	-	ND	-
Fluridone	-	-	ND	-
Flusilazole	-	-	ND	-
Flutolanil	-	-	ND	-
Flutriafol	-	-	ND	-
Fluvalinate Total	-	-	ND	-
Fluxapyroxad	-	-	ND	-
Folpet	-	-	ND	-

Results Approved By



Lev Spivak-Birndorf

Lab Director

Date Generated: 2026-09-15

This product has been tested by an external ISO/IEC 17025-accredited laboratory using valid testing methodologies. Values reported relate only to the product tested. The laboratory makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of Light Labs. All COA data is calculated using the listed lab measured serving size if listed.

Analyte	LOQ	Specification	Result	Status
Fomesafen	-	-	ND	-
Fonofos	-	-	ND	-
Forchlorfenuron	-	-	ND	-
Formetanate	-	-	ND	-
Fuberidazole	-	-	ND	-
Furalaxyl	-	-	ND	-
Halofenozide	-	-	ND	-
Heptachlor	-	-	ND	-
Heptachlor Endo-Epoxyde (Isomer A)	-	-	ND	-
Heptachlor Exo-Epoxyde (Isomer B)	-	-	ND	-
Heptenophos	-	-	ND	-
Hexachlorobenzene	-	-	ND	-
Hexaconazole	-	-	ND	-
Hexaflumuron	-	-	ND	-
Hexazinone	-	-	ND	-
Hexythiazox	-	-	ND	-
Hydramethylnon	-	-	ND	-
Imazalil	-	-	ND	-
Imibenconazole	-	-	ND	-
Imidacloprid	-	-	ND	-
Indaziflam	-	-	ND	-
Indoxacarb	-	-	ND	-
Iodofenfos	-	-	ND	-
Ipconazole	-	-	ND	-
Iprobenfos	-	-	ND	-
Iprodione	-	-	ND	-
Iprovalicarb	-	-	ND	-
Isazophos	-	-	ND	-
Isocarbamid	-	-	ND	-
Isocarbamid (Isocarbamide)	-	-	ND	-
Isocarbophos	-	-	ND	-
Isodrin	-	-	ND	-

Results Approved By



Lev Spivak-Birndorf

Lab Director

Date Generated: 2026-09-15

This product has been tested by an external ISO/IEC 17025-accredited laboratory using valid testing methodologies. Values reported relate only to the product tested. The laboratory makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of Light Labs. All COA data is calculated using the listed lab measured serving size if listed.

Analyte	LOQ	Specification	Result	Status
Isofenphos	-	-	ND	-
Isoprocarb	-	-	ND	-
Isopropalin	-	-	ND	-
Isoprothiolane	-	-	ND	-
Isoproturon	-	-	ND	-
Ivermectin	-	-	ND	-
Karbutylate	-	-	ND	-
Kresoxim - Methyl	-	-	ND	-
Kresoxim-methyl	-	-	ND	-
Lactofen	-	-	ND	-
Lenacil	-	-	ND	-
Leptophos	-	-	ND	-
Linuron	-	-	ND	-
Lufenuron	-	-	ND	-
MGK-264	-	-	ND	-
Malaoxon	-	-	ND	-
Malathion	-	-	ND	-
Mandipropamid	-	-	ND	-
Mecarbam	-	-	ND	-
Mefenacet	-	-	ND	-
Mepanipyrim	-	-	ND	-
Mepronil	-	-	ND	-
Metaflumizone	-	-	ND	-
Metalaxyl	-	-	ND	-
Metalaxyl & Mefenoxam	-	-	ND	-
Metaldehyde	-	-	ND	-
Metazachlor	-	-	ND	-
Metconazole	-	-	ND	-
Methacrifos	-	-	ND	-
Methamidophos	-	-	ND	-
Methfuroxam	-	-	ND	-
Methidathion	-	-	ND	-

Results Approved By



Lev Spivak-Birndorf

Lab Director

Date Generated: 2026-09-15

This product has been tested by an external ISO/IEC 17025-accredited laboratory using valid testing methodologies. Values reported relate only to the product tested. The laboratory makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of Light Labs. All COA data is calculated using the listed lab measured serving size if listed.

Analyte	LOQ	Specification	Result	Status
Methiocarb	-	-	ND	-
Methomyl	-	-	ND	-
Methoprene	-	-	ND	-
Methoprotryne	-	-	ND	-
Methoxychlor olefin, 4,4-	-	-	ND	-
Methoxychlor, o,p	-	-	ND	-
Methoxychlor, p,p-	-	-	ND	-
Methoxyfenozide	-	-	ND	-
Metobromuron	-	-	ND	-
Metolachlor	-	-	ND	-
Metolcarb	-	-	ND	-
Metoxuron	-	-	ND	-
Metrafenone	-	-	ND	-
Metribuzin	-	-	ND	-
Mevinphos	-	-	ND	-
Mexacarbate	-	-	ND	-
Mirex	-	-	ND	-
Molinate	-	-	ND	-
Monocrotophos	-	-	ND	-
Monolinuron	-	-	ND	-
Moxidectin	-	-	ND	-
Myclobutanil	-	-	ND	-
N-(2,4-Dimethylphenyl)formamide	-	-	ND	-
Naled	-	-	ND	-
Naphthaleneacetamide, 1-	-	-	ND	-
Napropamide	-	-	ND	-
Neburon	-	-	ND	-
Nicotine	-	-	ND	-
Nitenpyram	-	-	ND	-
Nitralin	-	-	ND	-
Nitrapyrin	-	-	ND	-
Nitrofen	-	-	ND	-

Results Approved By



Lev Spivak-Birndorf

Lab Director

Date Generated: 2026-09-15

This product has been tested by an external ISO/IEC 17025-accredited laboratory using valid testing methodologies. Values reported relate only to the product tested. The laboratory makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of Light Labs. All COA data is calculated using the listed lab measured serving size if listed.

Analyte	LOQ	Specification	Result	Status
Nitrothal - isopropyl	-	-	ND	-
Nonachlor, cis-	-	-	ND	-
Nonachlor, trans-	-	-	ND	-
Novaluron	-	-	ND	-
Nuarimol	-	-	ND	-
Omethoate	-	-	ND	-
Oxadiazon	-	-	ND	-
Oxadixyl	-	-	ND	-
Oxamyl	-	-	ND	-
Oxyfluorfen	-	-	ND	-
Paclobutrazol	-	-	ND	-
Paraoxon	-	-	ND	-
Paraoxon - Methyl	-	-	ND	-
Parathion	-	-	ND	-
Pebulate	-	-	ND	-
Penconazole	-	-	ND	-
Pencycuron	-	-	ND	-
Pendimethalin	-	-	ND	-
Pendimethalin (Penoxaline)	-	-	ND	-
Pentachloroaniline	-	-	ND	-
Pentachloroanisole	-	-	ND	-
Pentachlorobenzene	-	-	ND	-
Pentachlorobenzonitrile	-	-	ND	-
Pentachlorothioanisole	-	-	ND	-
Penthiopyrad	-	-	ND	-
Permethrin Total	-	-	ND	-
Phenothrin Total	-	-	ND	-
Phenthoate	-	-	ND	-
Phenylphenol, 2-	-	-	ND	-
Phorate	-	-	ND	-
Phorate Sulfone	-	-	ND	-
Phorate Sulfoxide	-	-	ND	-

Results Approved By



Lev Spivak-Birndorf

Lab Director

Date Generated: 2026-09-15

This product has been tested by an external ISO/IEC 17025-accredited laboratory using valid testing methodologies. Values reported relate only to the product tested. The laboratory makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of Light Labs. All COA data is calculated using the listed lab measured serving size if listed.

Analyte	LOQ	Specification	Result	Status
Phosalone	-	-	ND	-
Phosmet	-	-	ND	-
Phosmet Oxon	-	-	ND	-
Phosphamidon I	-	-	ND	-
Phosphamidon II	-	-	ND	-
Phoxim	-	-	ND	-
Picoxystrobin	-	-	ND	-
Piperonyl Butoxide	-	-	ND	-
Pirimicarb	-	-	ND	-
Prallethrin	-	-	ND	-
Pretilachlor	-	-	ND	-
Prochloraz	-	-	ND	-
Procymidone	-	-	ND	-
Prodiamine	-	-	ND	-
Profenofos	-	-	ND	-
Profluralin	-	-	ND	-
Promecarb	-	-	ND	-
Prometon	-	-	ND	-
Prometryn	-	-	ND	-
Pronamide (Propyzamide)	-	-	ND	-
Propachlor	-	-	ND	-
Propamocarb	-	-	ND	-
Propanil (DCPA)	-	-	ND	-
Propargite	-	-	ND	-
Propazine	-	-	ND	-
Propetamphos	-	-	ND	-
Propham	-	-	ND	-
Propiconazole	-	-	ND	-
Propiconazole Total	-	-	ND	-
Propisochlor	-	-	ND	-
Propoxur	-	-	ND	-
Propyzamide (Pronamide)	-	-	ND	-

Results Approved By



Lev Spivak-Birndorf

Lab Director

Date Generated: 2026-09-15

This product has been tested by an external ISO/IEC 17025-accredited laboratory using valid testing methodologies. Values reported relate only to the product tested. The laboratory makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of Light Labs. All COA data is calculated using the listed lab measured serving size if listed.

Analyte	LOQ	Specification	Result	Status
Proquinazid	-	-	ND	-
Prothiofos	-	-	ND	-
Pymetrozine	-	-	ND	-
Pyracarbolid	-	-	ND	-
Pyraclofos	-	-	ND	-
Pyraclostrobin	-	-	ND	-
Pyraflufen-ethyl	-	-	ND	-
Pyrazophos	-	-	ND	-
Pyrethrins	-	-	ND	-
Pyridaben	-	-	ND	-
Pyridaphenthion	-	-	ND	-
PyrifenoX Total	-	-	ND	-
Primethanil	-	-	ND	-
Pyriproxyfen	-	-	ND	-
Quinalphos	-	-	ND	-
Quinoxifen	-	-	ND	-
Quintozene	-	-	ND	-
Resmethrin, cis- (Cismethrin)	-	-	ND	-
Ronnel (Fenchlorphos)	-	-	ND	-
Sebuthylazine	-	-	ND	-
Secbumeton	-	-	ND	-
Sedaxane	-	-	ND	-
Sethoxydim	-	-	ND	-
Siduron	-	-	ND	-
Simazine	-	-	ND	-
Simetryn	-	-	ND	-
Spinetoram (J+L)	-	-	ND	-
Spinosyn	-	-	ND	-
Spirodiclofen	-	-	ND	-
Spirotetramat	-	-	ND	-
Spiroxamine	-	-	ND	-
Spiroxamine Total	-	-	ND	-

Results Approved By



Lev Spivak-Birndorf

Lab Director

Date Generated: 2026-09-15

This product has been tested by an external ISO/IEC 17025-accredited laboratory using valid testing methodologies. Values reported relate only to the product tested. The laboratory makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of Light Labs. All COA data is calculated using the listed lab measured serving size if listed.

Analyte	LOQ	Specification	Result	Status
Sulfallate	-	-	ND	-
Sulfotep	-	-	ND	-
Sulfoxaflor	-	-	ND	-
Sulprofos	-	-	ND	-
Tebuconazole	-	-	ND	-
Tebufenozide	-	-	ND	-
Tebufenpyrad	-	-	ND	-
Tebupirimfos	-	-	ND	-
Tebutam	-	-	ND	-
Tebuthiuron	-	-	ND	-
Tecnazene (TCNB)	-	-	ND	-
Tefluthrin, cis-	-	-	ND	-
Temephos	-	-	ND	-
Tepraloxymid	-	-	ND	-
Terbacil	-	-	ND	-
Terbufos	-	-	ND	-
Terbumeton	-	-	ND	-
Terbutylazine	-	-	ND	-
Terbutryn	-	-	ND	-
Tetrachloroaniline, 2,3,5,6-	-	-	ND	-
Tetrachlorvinphos, E-isomer	-	-	ND	-
Tetraconazole	-	-	ND	-
Tetradifon	-	-	ND	-
Tetrahydrophthalimide, cis-1,2,3,6-	-	-	ND	-
Tetramethrin Total	-	-	ND	-
Thiabendazole	-	-	ND	-
Thiacloprid	-	-	ND	-
Thiamethoxam	-	-	ND	-
Thidiazuron	-	-	ND	-
Thiobencarb	-	-	ND	-
Thiofanox	-	-	ND	-
Thiometon	-	-	ND	-

Results Approved By



Lev Spivak-Birndorf

Lab Director

Date Generated: 2026-09-15

This product has been tested by an external ISO/IEC 17025-accredited laboratory using valid testing methodologies. Values reported relate only to the product tested. The laboratory makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of Light Labs. All COA data is calculated using the listed lab measured serving size if listed.

Analyte	LOQ	Specification	Result	Status
Thionazin	-	-	ND	-
Thiophanate-methyl (as Carbendazim)	-	-	ND	-
Tolclofos - Methyl	-	-	ND	-
Tolfenpyrad	-	-	ND	-
Tolyfluanid	-	-	ND	-
Transfluthrin	-	-	ND	-
Triadimefon	-	-	ND	-
Triadimenol	-	-	ND	-
Triallate	-	-	ND	-
Triazophos	-	-	ND	-
Tricyclazole	-	-	ND	-
Tridemorph	-	-	ND	-
Tridiphane	-	-	ND	-
Trifloxystrobin	-	-	ND	-
Triflumizole	-	-	ND	-
Triflumuron	-	-	ND	-
Trifluralin	-	-	ND	-
Trimethacarb, 2,3,5-	-	-	ND	-
Trimethacarb, 3,4,5-	-	-	ND	-
Triticonazole	-	-	ND	-
Uniconazole	-	-	ND	-
Vamidothion	-	-	ND	-
Vernolate	-	-	ND	-
Vinclozolin	-	-	ND	-
Zoxamide	-	-	ND	-

Results Approved By



Lev Spivak-Birndorf
Lab Director

Date Generated: 2026-09-15

This product has been tested by an external ISO/IEC 17025-accredited laboratory using valid testing methodologies. Values reported relate only to the product tested. The laboratory makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of Light Labs. All COA data is calculated using the listed lab measured serving size if listed.

Prepared For

Customer Bami
Email ap@enjoybrami.com
Phone 3142768277
Address

Lab Contact

Name Light Labs Support
Email support@lightlabs.com
Address 600 South Wagner Road, #400
Ann Arbor, MI 48103

General Information

Name Finished Pasta, Fusilli
Lot 07/06/2029
Notes

Date Received 2026-09-03
Date Tested 2026-09-09
Test 150321
Order 17133

Assay Glyphosate & AMPA
Method LLMTDC (LC-MS/MS)
Location In-house
Serving Size

Analyte	LOQ	Specification	Result	Status
AMPA	10.43 ppb	Non-Detect	ND	In-Spec
Glyphosate	10.43 ppb	Non-Detect	ND	In-Spec

Results Approved By



David Egerton
Quality Director

Date Generated: 2026-09-09

